

SAFETY DATA SHEET

Issue Date No data available

Revision Date 16-Nov-2015

Version 3

1. IDENTIFICATION

Product identifier				
Product Name	Bostex 561			
Other means of identification				
Product Code	BOSTEX 561			
UN/ID no.	UN3082			
Synonyms	Aqueous accelerator dispersion			
Recommended use of the chemical	and rootrictions on use			
Recommended Use	Latex Additive.			
Uses advised against	None known			
Details of the supplier of the safety data sheet				
Supplier Address				
Akron Dispersions, Inc.				
2001 Courmill Dood				

Akron Dispersions, Inc. 3291 Sawmill Road P.O. Box 4195 Akron, OH 44321

Emergency telephone number

Company Phone Number330-666-0045Emergency TelephoneChemtrec 1-800-424-9300 (Within USA and Canada), (+1) 703-741-5970 (Outside USA and Canada)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3


Label elements

Emergency Overview

Warning

Hazard statements

Harmful if swallowed Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause respiratory irritation



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

Specific treatment (see .? on this label) IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Very toxic to aquatic life with long lasting effects Very toxic to aquatic life

Unknown acute toxicity

1.4906% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance Synonyms

Aqueous accelerator dispersion.

Chemical Name	CAS No.	Weight-%	Trade Secret
Zinc diethyldithiocarbamate	14324-55-1	45 - 55	*
Ammonium hydroxide	1336-21-6	0 - 0.2	*
Formaldehyde	50-00-0	0 - 0.003	*
Quinoline	91-22-5	0 - 0.0025	*
Naphthalene	91-20-3	0 - 0.0008	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Non-hazardous ingredients are proprietary and comprise the balance of the formulation.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.		
Inhalation	Remove to fresh air. If breathing is difficult seek medical attention.		
Ingestion	If on skin: Wash with plenty of water.		
Most important symptoms and effects, both acute and delayed			
Symptoms	May cause irritation to skin, eyes, and respiratory tract. Do not drink alcoholic beverages immediately before or after handling-may cause violent nausea and vomiting. May cause skin sensitization or allergic eczema.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

The product causes irritation of eyes, skin and mucous membranes.

Hazardous combustion productsOxides of carbon, nitrogen, zinc, sodium and sulfur.

Explosion data Sensitivity to Mechanical Impact No data available. Sensitivity to Static Discharge No data available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up	Sweep, vacuum or shovel into appropriate container.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Use personal protection recommended in Section 8.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a cool, dry area. Protect from freezing.		
Incompatible materials	Strong acids. Strong oxidizing agents.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	Ceiling: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
50-00-0		(vacated) TWA: 3 ppm unless specified in 1910.1048 (vacated) STEL: 10 ppm 30 min unless specified in 1910.1048 (vacated) Ceiling: 5 ppm unless specified in 1910.1048 STEL: 2 ppm see 29 CFR 1910.1048	Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm
Naphthalene 91-20-3	STEL: 15 ppm TWA: 10 ppm S*	TWA: 10 ppm TWA: 50 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 50 mg/m ³ (vacated) STEL: 15 ppm (vacated) STEL: 75 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³

Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	In case of inadequate ventilation wear respiratory protection.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Aqueous solution White to off-white	Odor Odor threshold	Ammoniacal No information available
<u>Property</u> pH	<u>Values</u> 9-11	Remarks • Method	

0 °C

100 °C

No information available

No information available No information available

No information available

No information available

No information available

No information available

No information available

No information available

No information available

No information available

No information available

No information available

Miscible in water

Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** Kinematic viscosity Dynamic viscosity **Explosive properties Oxidizing properties**

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density

Reactivity No data available

Chemical stability

Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Extremes of temperature and direct sunlight. <u>Incompatible materials</u> Strong acids. Strong oxidizing agents. <u>Hazardous Decomposition Products</u> Oxides of carbon, nitrogen, zinc, sodium and sulfur.

11. TOXICOLOGICAL INFORMATION

10. STABILITY AND REACTIVITY

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium hydroxide 1336-21-6	= 350 mg/kg (Rat)	-	-
Formaldehyde 50-00-0	= 500 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat)4 h
Quinoline 91-22-5	= 331 mg/kg (Rat)	= 540 μ L/kg (Rabbit)	-
Naphthalene 91-20-3	= 1110 mg/kg (Rat)= 490 mg/kg (Rat)	> 20 g/kg (Rabbit)	> 340 mg/m ³ (Rat)1 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informati No informati No informati	on available.		
Chemical Name	ACGIH	IARC	NTP	OSHA
Formaldehyde 50-00-0	A2	Group 1	Known	Х
Naphthalene 91-20-3	A3	Group 2A Group 2B	Reasonably Anticipated	Х
Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard	No information available. No information available. No information available. No information available.			

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 1,044.00

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT.

Ecotoxicity

3.67967 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ammonium hydroxide	-	8.2: 96 h Pimephales promelas	0.66: 48 h water flea mg/L EC50
1336-21-6		mg/L LC50	0.66: 48 h Daphnia pulex mg/L
			EC50
Formaldehyde	-	22.6 - 25.7: 96 h Pimephales	2: 48 h Daphnia magna mg/L LC50
50-00-0		promelas mg/L LC50 flow-through	11.3 - 18: 48 h Daphnia magna
		1510: 96 h Lepomis macrochirus	mg/L EC50 Static
		µg/L LC50 static 41: 96 h	
		Brachydanio rerio mg/L LC50 static	
		0.032 - 0.226: 96 h Oncorhynchus	
		mykiss mL/L LC50 flow-through 100	
		 136: 96 h Oncorhynchus mykiss 	
		mg/L LC50 static 23.2 - 29.7: 96 h	
		Pimephales promelas mg/L LC50	
		static	
Quinoline	84: 72 h Desmodesmus subspicatus	77.8: 96 h Pimephales promelas	28.5: 48 h Daphnia magna mg/L
91-22-5	mg/L EC50 static 90: 96 h	mg/L LC50 flow-through 46: 96 h	EC50 45.9 - 57.3: 48 h Daphnia
	Desmodesmus subspicatus mg/L	Pimephales promelas mg/L LC50	magna mg/L EC50 Static
	EC50 static 51: 4 h	static 40: 96 h Poecilia reticulata	
	Pseudokirchneriella subcapitata	mg/L LC50 static	
	mg/L EC50		
Naphthalene	0.4: 72 h Skeletonema costatum	5.74 - 6.44: 96 h Pimephales	2.16: 48 h Daphnia magna mg/L
91-20-3	mg/L EC50	promelas mg/L LC50 flow-through	LC50 1.96: 48 h Daphnia magna

1.6: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.91 - 2.82: 96 h Oncorhynchus mykiss mg/L LC50 static 1.99: 96 h Pimephales promelas mg/L LC50 static 31.0265:	Static
96 h Lepomis macrochirus mg/L LC50 static LC50 static	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Formaldehyde	0.35
50-00-0	
Quinoline	2.06
91-22-5	
Naphthalene	3.3
91-20-3	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Dispose of in accordance with federal, state and local regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122
Naphthalene 91-20-3	U165	Included in waste streams: F024, F025, F034, F039, K001, K035, K060, K087, K145	-	U165

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene 91-20-3	-	-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	

Chemical Name	California Hazardous Waste Status
Zinc diethyldithiocarbamate 14324-55-1	Тохіс
Ammonium hydroxide	Toxic

1336-21-6	Corrosive
Formaldehyde 50-00-0	Toxic Ignitable
Naphthalene 91-20-3	Toxic

14. TRANSPORT INFORMATION

DOT UN/ID no. Proper shipping name Hazard Class Packing Group Marine pollutant	UN3082 Environmentally hazardous substances, liquid, n.o.s. (Zinc diethyldithiocarbamate) 9 III This product contains a chemical which is listed as a marine pollutant according to DOT.
IATA UN/ID no. Proper shipping name Hazard Class Packing Group	UN3082 Environmentally hazardous substances, liquid, n.o.s.(Zinc Diethyldithiocarbamate) 9 III
IMDG UN/ID no. Proper shipping name Hazard Class Packing Group Marine pollutant	UN3082 Environmentally hazardous substances, liquid, n.o.s. (Zinc Diethyldithiocarbamate) 9 III This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

15. REGULATORY INFORMATION

International	Inventories
TSCA	

Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Zinc diethyldithiocarbamate - 14324-55-1	1.0
Ammonium hydroxide - 1336-21-6	1.0
Formaldehyde - 50-00-0	0.1

Quinoline - 91-22-5	1.0	
Naphthalene - 91-20-3	0.1	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc diethyldithiocarbamate 14324-55-1	-	X	-	-
Ammonium hydroxide 1336-21-6	1000 lb	-	-	х
Formaldehyde 50-00-0	100 lb	-	-	х
Quinoline 91-22-5	5000 lb	-	-	Х
Naphthalene 91-20-3	100 lb	X	Х	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ
Quinoline	5000 lb	-	RQ 5000 lb final RQ
91-22-5			RQ 2270 kg final RQ
Naphthalene	100 lb 1 lb	-	RQ 100 lb final RQ
91-20-3			RQ 45.4 kg final RQ RQ 1 lb final
			RQ
			RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

Chemical Name	California Proposition 65	
Formaldehyde - 50-00-0	Carcinogen	
Quinoline - 91-22-5	Carcinogen	
Naphthalene - 91-20-3	Carcinogen	

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations

- X	X
Х	Х
Х	Х
Х	Х
Х	Х
	X X

I.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 1	Flammability 0	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 1	Flammability 0	Physical hazards 0	Personal protection B
Prepared By	Diane M. Hunsicker			

16-Nov-2015

Prepared By Revision Date Revision Note SDS sections updated: 1, 14

Disclaimer

The information provided in this SDS was compiled from sources which we believe are accurate and reliable. However, this information is provided without warranty, expressed or implied, regarding its correctness. It is the user's

responsibility to determine the suitability of any material for a specific purpose and adopt such safety precautions as may be necessary. We do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of, or in any way connected with the handling, storage, use, or disposal of this product.

End of Safety Data Sheet