

# SAFETY DATA SHEET

Issue Date 18-Feb-2015

Revision Date 23-Aug-2016

Version 2

# **1. IDENTIFICATION**

Product identifier Product Name

Bostex 346

Other means of identificationProduct CodeBOSTEX 346SynonymsAqueous antioxidant dispersion

# Recommended use of the chemical and restrictions on use

Recommended Use Uses advised against Latex Additive. None known

#### Details of the supplier of the safety data sheet

Supplier Address Akron Dispersions, Inc. 3291 Sawmill Road P.O. Box 4195 Akron, OH 44321

# Emergency telephone number Company Phone Number

Emergency Telephone

330-666-0045 Chemtrec 1-800-424-9300 (Within USA and Canada), (+1) 703-741-5970 (Outside USA and Canada)

2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Label elements

**Emergency Overview** 

Appearance Aqueous solution

Physical state Liquid

Odor Ammoniacal

#### Hazards not otherwise classified (HNOC)

Not applicable

# Other Information

Not applicable

Unknown acute toxicity

0.1781% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance Synonyms

#### Aqueous antioxidant dispersion.

Chemical Name	CAS No.	Weight-%	Trade Secret
6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	45 - 55	*
Ammonium hydroxide	1336-21-6	0 - 0.020	*
Formaldehyde	50-00-0	0 - 0.005	*
Quinoline	91-22-5	0 - 0.0045	*
Naphthalene	91-20-3	0 - 0.0015	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

Non-hazardous ingredients are proprietary and comprise the balance of the formulation.

#### **4. FIRST AID MEASURES**

#### **Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Skin contact	Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.			
Inhalation	Remove to fresh air. If breathing is difficult seek medical attention.			
Ingestion	If on skin: Wash with plenty of water.			
Most important symptoms and effe	cts, both acute and delayed			
Symptoms	May cause irritation to skin and eyes.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians Treat symptomatically.				
	5. FIRE-FIGHTING MEASURES			

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media None known.

# Specific hazards arising from the chemical

May cause irritation to skin and eyes.

Hazardous combustion productsOxides of carbon, sulfur and sodium.

Explosion data Sensitivity to Mechanical Impact No data available. Sensitivity to Static Discharge No data available.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES				
Personal precautions, protective equipment and emergency procedures				
Personal precautions	Personal precautions Ensure adequate ventilation, especially in confined areas.			
Environmental precautions				
Environmental precautions	See Section 12 for additional ecological information.			
Methods and material for containm	nent and cleaning up			
Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.				
Methods for cleaning up Sweep, vacuum or shovel into appropriate container.				
	7. HANDLING AND STORAGE			
Precautions for safe handling				
Advice on safe handling	Use personal protection recommended in Section 8.			
Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a cool, dry area. Protect from freezing.			
Incompatible materials	ncompatible materials Strong acids. Strong oxidizing agents.			
8 EXPOSURE CONTROL S/PERSONAL PROTECTION				

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	Ceiling: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
50-00-0		(vacated) TWA: 3 ppm unless	Ceiling: 0.1 ppm 15 min
		specified in 1910.1048	TWA: 0.016 ppm
		(vacated) STEL: 10 ppm 30 min	
		unless specified in 1910.1048	
		(vacated) Ceiling: 5 ppm unless	
		specified in 1910.1048	
		STEL: 2 ppm see 29 CFR	
		1910.1048	
Naphthalene	TWA: 10 ppm	TWA: 10 ppm	IDLH: 250 ppm
91-20-3	S*	TWA: 50 mg/m <sup>3</sup>	TWA: 10 ppm
		(vacated) TWA: 10 ppm	TWA: 50 mg/m <sup>3</sup>
		(vacated) TWA: 50 mg/m <sup>3</sup>	STEL: 15 ppm
		(vacated) STEL: 15 ppm	STEL: 75 mg/m <sup>3</sup>
		(vacated) STEL: 75 mg/m <sup>3</sup>	-

Appropriate engineering controls

#### Engineering Controls Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state	Liquid						
Appearance	Aqueous solution	Odor	Ammoniacal				
Color	Cream to off-white	Odor threshold	No information available				
Property_	Values	Remarks · Method					
рН	8.5-10.5						
Melting point/freezing point	0 deg C						
Boiling point / boiling range	100 deg C						
Flash point	No information available						
Evaporation rate	No information available						
Flammability (solid, gas)	No information available						
Flammability Limit in Air							
Upper flammability limit:	No information available						
Lower flammability limit:	No information available						
Vapor pressure	No information available						
Vapor density	No information available						
Relative density	No information available						
Water solubility	Miscible in water						
Solubility in other solvents	No information available						
Partition coefficient	No information available						
Autoignition temperature	No information available						
Decomposition temperature	No information available						
Kinematic viscosity	No information available						
Dynamic viscosity	No information available						
Explosive properties	No information available						
Oxidizing properties	No information available						
Other Information							
Softening point	No information available						
Molecular weight	No information available						
VOC Content (%)	No information available						
Density	No information available						
Bulk density							
-							

# **10. STABILITY AND REACTIVITY**

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

#### Incompatible materials

Strong acids. Strong oxidizing agents.

#### **Hazardous Decomposition Products**

Oxides of carbon, sulfur and sodium.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
6,6'-di-tert-butyl-2,2'-methylenedi-p- cresol 119-47-1	> 10000 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-
Ammonium hydroxide 1336-21-6	= 350 mg/kg (Rat)	-	-
Formaldehyde 50-00-0	= 100 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat)4 h
Quinoline 91-22-5	= 331 mg/kg (Rat)	= 540 µL/kg (Rabbit)	-
Naphthalene 91-20-3	= 490 mg/kg (Rat) = 1110 mg/kg (Rat)	> 20 g/kg (Rabbit)= 1120 mg/kg (Rabbit)	> 340 mg/m <sup>3</sup> (Rat)1 h

#### Information on toxicological effects

#### Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informati	on available. on available. on available.		
Chemical Name	ACGIH	IARC	NTP	OSHA
Formaldehyde 50-00-0	A2	Group 1	Known	Х
Naphthalene 91-20-3	A3	Group 2B	Reasonably Anticipated	Х
Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard	No informati No informati	on available. on available. on available. on available.		

#### Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	17,538.00	mg/kg
ATEmix (dermal)	21,298.00	mg/kg

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

1	51.0031 % of	the mixture consi	sts of components(s	) of unknown l	hazards to the aquatic environr	nent

Chemical Name	Algae/aquatic plants	Fish	Crustacea	
Ammonium hydroxide	Ammonium hydroxide -		0.66: 48 h Daphnia pulex mg/L	
1336-21-6		mg/L LC50	EC50 0.66: 48 h water flea mg/L EC50	
Formaldehyde 50-00-0	-	0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static	11.3 - 18: 48 h Daphnia magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50	
Quinoline 91-22-5	84: 72 h Desmodesmus subspicatus mg/L EC50 static 90: 96 h Desmodesmus subspicatus mg/L EC50 static 51: 4 h Pseudokirchneriella subcapitata mg/L EC50	40: 96 h Poecilia reticulata mg/L LC50 static 46: 96 h Pimephales promelas mg/L LC50 static 77.8: 96 h Pimephales promelas mg/L LC50 flow-through	45.9 - 57.3: 48 h Daphnia magna mg/L EC50 Static 28.5: 48 h Daphnia magna mg/L EC50	
Naphthalene 91-20-3	0.4: 72 h Skeletonema costatum mg/L EC50	0.91 - 2.82: 96 h Oncorhynchus mykiss mg/L LC50 static 5.74 - 6.44: 96 h Pimephales promelas mg/L LC50 flow-through 1.6: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 1.99: 96 h Pimephales promelas mg/L LC50 static 31.0265: 96 h Lepomis macrochirus mg/L LC50 static	Daphnia magna mg/L EC50 Flow through 2.16: 48 h Daphnia magna mg/L LC50	

# Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Formaldehyde 50-00-0	0.35
Quinoline 91-22-5	1.88 - 2.06
Naphthalene 91-20-3	3.3

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Disposal of wastes** 

Dispose of in accordance with federal, state and local regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	<b>RCRA - U Series Wastes</b>
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122

Naphthalene	U165	Included in waste streams:	-	U165
91-20-3		F024, F025, F034, F039,		
		K001, K035, K060, K087,		
		K145		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene 91-20-3	-	-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	

Chemical Name	California Hazardous Waste Status
Ammonium hydroxide	Toxic
1336-21-6	Corrosive
Formaldehyde	Toxic
50-00-0	Ignitable
Naphthalene	Toxic
91-20-3	

# **14. TRANSPORT INFORMATION**

DOT

Not regulated

ΙΑΤΑ	Not regulated
IMDG	Not regulated

# **15. REGULATORY INFORMATION**

```
International Inventories
TSCA
```

# Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain a toxic chemical in excess of 1% of the mixture(0.1% if a listed carcinogen) and is not subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	SARA 313 - Threshold Values %
Ammonium hydroxide - 1336-21-6	1.0
Formaldehyde - 50-00-0	0.1
Quinoline - 91-22-5	1.0
Naphthalene - 91-20-3	0.1
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium hydroxide 1336-21-6	1000 lb	-	-	Х
Formaldehyde 50-00-0	100 lb	-	-	Х
Quinoline 91-22-5	5000 lb	-	-	Х
Naphthalene 91-20-3	100 lb	Х	Х	Х

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ
Quinoline	5000 lb	-	RQ 5000 lb final RQ
91-22-5			RQ 2270 kg final RQ
Naphthalene	100 lb 1 lb	-	RQ 100 lb final RQ
91-20-3			RQ 45.4 kg final RQ RQ 1 lb fina
			RQ
			RQ 0.454 kg final RQ

# US State Regulations

#### California Proposition 65

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

Chemical Name	California Proposition 65
Formaldehyde - 50-00-0	Carcinogen
Quinoline - 91-22-5	Carcinogen
Naphthalene - 91-20-3	Carcinogen

#### U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations	state right-to-know regulations	v state right	regulated by	v contain substances	This product may
--	---------------------------------	---------------	--------------	----------------------	------------------

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ammonium hydroxide 1336-21-6	Х	X	Х
	X		X
Formaldehyde 50-00-0	X	X	Х
Quinoline 91-22-5	Х	Х	Х
Naphthalene 91-20-3	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 1	Flammability 0	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 1	Flammability 0	Physical hazards 0	Personal protection B

Prepared By	Diane M. Hunsicker
Issue Date	18-Feb-2015
Revision Date	23-Aug-2016
Revision Note	C C
SDS sections updated: 1, 14	

Disclaimer

The information provided in this SDS was compiled from sources which we believe are accurate and reliable. However, this information is provided without warranty, expressed or implied, regarding its correctness. It is the user's responsibility to determine the suitability of any material for a specific purpose and adopt such safety precautions as may be necessary. We do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of, or in any way connected with the handling, storage, use, or disposal of this product.

End of Safety Data Sheet