

SAFETY DATA SHEET

Issue Date 17-Feb-2015 Revision Date 19-Mar-2019 Version 1

1. IDENTIFICATION

Product identifier

Product Name Bostex 378

Other means of identification

Product Code BOSTEX 378

Synonyms Aqueous dispersion of sulfur

Recommended use of the chemical and restrictions on use

Recommended Use Latex Additive. Uses advised against None known

Details of the supplier of the safety data sheet

Supplier Address Akron Dispersions, Inc. 3291 Sawmill Road P.O. Box 4195 Akron, OH 44321

Emergency telephone number

Company Phone Number 330-666-0045

Emergency Telephone Chemtrec 1-800-424-9300 (Within USA and Canada), (+1) 703-741-5970 (Outside USA

and Canada)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Emergency Overview

Appearance Aqueous solution Physical state Liquid Odor Ammoniacal

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable

Unknown acute toxicity 50.004% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Synonyms Aqueous dispersion of sulfur.

Chemical Name	CAS No	Weight-%	Trade Secret
Sulfur	7704-34-9	45 - 55	*
Ammonium hydroxide	1336-21-6	0 - 0.03	*
Formaldehyde	50-00-0	0 - 0.002	*
Quinoline	91-22-5	0 - 0.0015	*
Naphthalene	91-20-3	0 - 0.0005	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Non-hazardous ingredients are proprietary and comprise the balance of the formulation.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash off immediately with soap and plenty of water. If skin irritation persists, call a

physician.

Inhalation Remove to fresh air. If breathing is difficult seek medical attention.

Ingestion If on skin: Wash with plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms May cause irritation to skin and eyes.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

May cause irritation to skin and eyes.

Hazardous combustion products Oxides of carbon, sulfur and sodium. Hydrogen sulfide.

Explosion data

Sensitivity to Mechanical Impact No data available.

Sensitivity to Static Discharge No data available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Sweep, vacuum or shovel into appropriate container.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protection recommended in Section 8.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, dry area. Protect from freezing.

Incompatible materials Strong bases. Strong oxidizing agents. Hydrocarbons. Corrosive to copper, copper alloys

and steel.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	STEL: 0.3 ppm	STEL: 0.3 ppm TWA: 0.75 ppm IDLH: 20 p	
50-00-0	TWA: 0.1 ppm	(vacated) TWA: 3 ppm unless	Ceiling: 0.1 ppm 15 min
		specified in 1910.1048	TWA: 0.016 ppm
		(vacated) STEL: 10 ppm 30 min	
		unless specified in 1910.1048	
		(vacated) Ceiling: 5 ppm unless	
		specified in 1910.1048	
		STEL: 2 ppm see 29 CFR	
		1910.1048	
Naphthalene	TWA: 10 ppm	TWA: 10 ppm	IDLH: 250 ppm
91-20-3	S*	TWA: 50 mg/m ³	TWA: 10 ppm
		(vacated) TWA: 10 ppm	TWA: 50 mg/m ³
		(vacated) TWA: 50 mg/m ³	STEL: 15 ppm
		(vacated) STEL: 15 ppm	STEL: 75 mg/m ³
		(vacated) STEL: 75 mg/m ³	

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Aqueous solution Odor Ammoniacal

Color Light beige to yellow Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 9-11

Melting point/freezing point 0 deg C

Boiling point / boiling range 100 deg C

Flash point

Evaporation rate
Flammability (solid, gas)

No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Relative density
Water solubility
No information available
No information available
No information available
No information available
Miscible in water

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Strong bases. Strong oxidizing agents. Hydrocarbons. Corrosive to copper, copper alloys and steel.

Hazardous Decomposition Products

Oxides of carbon, sulfur and sodium. Hydrogen sulfide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfur 7704-34-9	> 3000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 9.23 mg/L (Rat) 4 h
Ammonium hydroxide 1336-21-6	= 350 mg/kg (Rat)	-	-
Formaldehyde 50-00-0	= 100 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat) 4 h
Quinoline 91-22-5	= 331 mg/kg (Rat)	= 540 μL/kg (Rabbit)	-
Naphthalene 91-20-3	= 1110 mg/kg (Rat) = 490 mg/kg (Rat)	= 1120 mg/kg (Rabbit) > 20 g/kg (Rabbit)	> 340 mg/m ³ (Rat) 1 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Formaldehyde	A1	Group 1	Known	X
50-00-0		·		
Quinoline	-	Group 2B	-	X
91-22-5		·		
Naphthalene	A3	Group 2B	Reasonably Anticipated	X
91-20-3		·		

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document . mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

1.664 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sulfur 7704-34-9	-	14: 96 h Lepomis macrochirus mg/L LC50 static 866: 96 h Brachydanio rerio mg/L LC50 static 180: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Ammonium hydroxide 1336-21-6	-	8.2: 96 h Pimephales promelas mg/L LC50	0.66: 48 h water flea mg/L EC50 0.66: 48 h Daphnia pulex mg/L EC50
Formaldehyde 50-00-0	-	0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 1510: 96 h Lepomis macrochirus μg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static	2: 48 h Daphnia magna mg/L LC50 11.3 - 18: 48 h Daphnia magna mg/L EC50 Static
Quinoline 91-22-5	84: 72 h Desmodesmus subspicatus mg/L EC50 static 90: 96 h Desmodesmus subspicatus mg/L EC50 static 51: 4 h Pseudokirchneriella subcapitata mg/L EC50	77.8: 96 h Pimephales promelas mg/L LC50 flow-through 46: 96 h Pimephales promelas mg/L LC50 static 40: 96 h Poecilia reticulata mg/L LC50 static	45.9 - 57.3: 48 h Daphnia magna mg/L EC50 Static 28.5: 48 h Daphnia magna mg/L EC50
Naphthalene 91-20-3	0.4: 72 h Skeletonema costatum mg/L EC50	5.74 - 6.44: 96 h Pimephales promelas mg/L LC50 flow-through 1.6: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 31.0265: 96 h Lepomis macrochirus mg/L LC50 static 0.91 - 2.82: 96 h Oncorhynchus mykiss mg/L LC50 static 1.99: 96 h Pimephales promelas mg/L LC50 static	1.96: 48 h Daphnia magna mg/L EC50 Flow through 1.09 - 3.4: 48 h Daphnia magna mg/L EC50 Static 2.16: 48 h Daphnia magna mg/L LC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Formaldehyde 50-00-0	0.35
Quinoline 91-22-5	2.06
Naphthalene 91-20-3	3.6

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDispose of in accordance with federal, state and local regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste streams:	-	U122
50-00-0		K009, K010, K038, K040,		
		K156, K157		
Naphthalene	U165	Included in waste streams:	-	U165

91-20-3	F024, F025, F034, F039,	
	K001, K035, K060, K087,	
	K145	

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene 91-20-3	- Ingaine Compounds	-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of	-
			Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying	

Chemical Name	California Hazardous Waste Status
Ammonium hydroxide	Toxic
1336-21-6	Corrosive
Formaldehyde	Toxic
50-00-0	Ignitable
Naphthalene 91-20-3	Toxic

14. TRANSPORT INFORMATION

DOT Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain a toxic chemical in excess of 1% of the mixture (0.1% if a listed carcinogen) and is not subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	SARA 313 - Threshold Values %
Ammonium hydroxide - 1336-21-6	1.0
Formaldehyde - 50-00-0	0.1
Quinoline - 91-22-5	1.0
Naphthalene - 91-20-3	0.1

SARA 311/312 Hazard Categories

Acute health hazardNoChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium hydroxide 1336-21-6	1000 lb	-	-	X
Formaldehyde 50-00-0	100 lb	-	-	Х
Quinoline 91-22-5	5000 lb	-	-	Х
Naphthalene 91-20-3	100 lb	Х	X	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ
Quinoline	5000 lb	-	RQ 5000 lb final RQ
91-22-5			RQ 2270 kg final RQ
Naphthalene	100 lb 1 lb	-	RQ 100 lb final RQ
91-20-3			RQ 45.4 kg final RQ RQ 1 lb fina
			RQ
			RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

Chemical Name	California Proposition 65	
Formaldehyde - 50-00-0	Carcinogen	
Quinoline - 91-22-5	Carcinogen	
Naphthalene - 91-20-3	Carcinogen	

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sulfur	X	X	X
7704-34-9			

Ammonium hydroxide 1336-21-6	X	X	X
Formaldehyde 50-00-0	X	X	Х
Quinoline 91-22-5	X	X	Х
Naphthalene 91-20-3	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical

Properties HMIS Health hazards 1 Flammability 0 Physical hazards 0 Personal protection B

Prepared By
Issue Date
Diane M. Hunsicker
17-Feb-2015
Revision Date
Diane M. Hunsicker
17-Feb-2019

Revision Note

SDS sections updated: 16

Disclaimer

The information provided in this SDS was compiled from sources which we believe are accurate and reliable. However, this information is provided without warranty, expressed or implied, regarding its correctness. It is the user's responsibility to determine the suitability of any material for a specific purpose and adopt such safety precautions as may be necessary. We do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of, or in any way connected with the handling, storage, use, or disposal of this product.

End of Safety Data Sheet
