

SAFETY DATA SHEET

Issue Date 26-Feb-2015 Revision Date 24-Aug-2016 Version 2

1. IDENTIFICATION

Product identifier

Product Name Bostex 590B

Other means of identification

Product Code BOSTEX 590B UN/ID no. UN3082

Synonyms Aqueous masterbatch dispersion

Recommended use of the chemical and restrictions on use

Recommended Use Latex Additive. Uses advised against None known

Details of the supplier of the safety data sheet

Supplier Address Akron Dispersions, Inc. 3291 Sawmill Road P.O. Box 4195 Akron, OH 44321

Emergency telephone number

Company Phone Number 330-666-0045

Emergency Telephone Chemtrec 1-800-424-9300 (Within USA and Canada), (+1) 703-741-5970 (Outside USA

and Canada)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin sensitization	Category 1

Label elements

Emergency Overview

Warning

Hazard statements

Harmful if swallowed

May cause an allergic skin reaction



BOSTEX 590B - Bostex 590B Revision Date 24-Aug-2016

Odor Ammoniacal

Appearance Aqueous solution Physical state Liquid

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Precautionary Statements - Response

Specific treatment (see .? on this label)

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Causes mild skin irritation Very toxic to aquatic life with long lasting effects Very toxic to aquatic life

Unknown acute toxicity 14.348% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Synonyms

Aqueous masterbatch dispersion.

Chemical Name	CAS No.	Weight-%	Trade Secret
Zinc oxide	1314-13-2	8 - 20	*
Zinc dibutyldithiocarbamate	136-23-2	5 - 12	*
Zinc 2-Mercaptobenzothiazole	155-04-4	5 - 12	*
2-Mercaptobenzothiazole	149-30-4	1 - 8	*
Ammonium hydroxide	1336-21-6	0 - 0.10	*
Formaldehyde	50-00-0	0 - 0.003	*
Quinoline	91-22-5	0 - 0.003	*
Naphthalene	91-20-3	0 - 0.001	*
Cadmium and compounds (as Cd)	7440-43-9	0 - 0.0008	*
Lead	7439-92-1	0 - 0.0002	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Non-hazardous ingredients are proprietary and comprise the balance of the formulation.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash off immediately with soap and plenty of water. If skin irritation persists, call a

physician.

Inhalation Remove to fresh air. If breathing is difficult seek medical attention.

Ingestion If on skin: Wash with plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms May cause irritation to skin, eyes, and respiratory tract. Do not drink alcoholic beverages

immediately before or after handling-may cause violent nausea and vomiting. May cause

skin sensitization or allergic eczema.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

The product causes irritation of eyes, skin and mucous membranes.

Hazardous combustion productsOxides of carbon, nitrogen, zinc, sodium and sulfur. Hydrogen sulfide. Carbon sulfide. Dibutylamine.

Explosion data

Sensitivity to Mechanical Impact No data available. Sensitivity to Static Discharge No data available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning upSweep, vacuum or shovel into appropriate container.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protection recommended in Section 8.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, dry area. Protect from freezing.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases. Hydrocarbons. Magnesium.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Zinc oxide 1314-13-2	STEL: 10 mg/m³ respirable fraction TWA: 2 mg/m³ respirable fraction	TWA: 5 mg/m³ fume TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 5 mg/m³ fume (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction (vacated) STEL: 10 mg/m³ fume	IDLH: 500 mg/m ³ Ceiling: 15 mg/m ³ dust TWA: 5 mg/m ³ dust and fume STEL: 10 mg/m ³ fume
Formaldehyde 50-00-0	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm unless specified in 1910.1048 (vacated) STEL: 10 ppm 30 min unless specified in 1910.1048 (vacated) Ceiling: 5 ppm unless specified in 1910.1048 STEL: 2 ppm see 29 CFR 1910.1048	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm
Naphthalene 91-20-3	TWA: 10 ppm S*	TWA: 10 ppm TWA: 50 mg/m³ (vacated) TWA: 10 ppm (vacated) TWA: 50 mg/m³ (vacated) STEL: 15 ppm (vacated) STEL: 75 mg/m³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³
Cadmium and compounds (as Cd) 7440-43-9	TWA: 0.01 mg/m³ TWA: 0.002 mg/m³ respirable fraction TWA: 0.01 mg/m³ Cd TWA: 0.002 mg/m³ Cd respirable fraction	TWA: 0.1 mg/m³ fume applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect TWA: 0.2 mg/m³ dust applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect TWA: 5 μg/m³ (vacated) STEL: 0.3 ppm fume Ceiling: 0.3 mg/m³ fume applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect Ceiling: 0.6 mg/m³ dust applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect	IDLH: 9 mg/m ³ dust IDLH: 9 mg/m ³ Cd dust and fume
Lead 7439-92-1	TWA: 0.05 mg/m ³ TWA: 0.05 mg/m ³ Pb	TWA: 50 μg/m³ TWA: 50 μg/m³ Pb	IDLH: 100 mg/m³ IDLH: 100 mg/m³ Pb TWA: 0.050 mg/m³ TWA: 0.050 mg/m³ Pb

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceAqueous solutionOdorAmmoniacal

Color Light beige to yellow Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 9-11
Melting point/freezing point 0 °C
Boiling point / boiling range 100 °C

Flash point

Evaporation rate

Flammability (solid, gas)

No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Relative density
Water solubility
No information available
No information available
No information available
No information available
Miscible in water

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available Oxidizing properties No information available

Other Information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information availableDensityNo information availableBulk densityNo information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases. Hydrocarbons. Magnesium.

Hazardous Decomposition Products

Oxides of carbon, nitrogen, zinc, sodium and sulfur. Hydrogen sulfide. Carbon sulfide. Dibutylamine.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zinc oxide 1314-13-2	> 5000 mg/kg (Rat)	-	-
Zinc 2-Mercaptobenzothiazole 155-04-4	= 540 mg/kg (Rat)	-	-
2-Mercaptobenzothiazole 149-30-4	= 100 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	-
Ammonium hydroxide 1336-21-6	= 350 mg/kg (Rat)	-	-
Formaldehyde 50-00-0	= 100 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat) 4 h
Quinoline 91-22-5	= 331 mg/kg (Rat)	= 540 μL/kg (Rabbit)	-
Naphthalene 91-20-3	= 490 mg/kg (Rat) = 1110 mg/kg (Rat)	> 20 g/kg (Rabbit) = 1120 mg/kg (Rabbit)	> 340 mg/m ³ (Rat) 1 h
Cadmium and compounds (as Cd) 7440-43-9	= 1140 mg/kg (Rat)	-	= 25 mg/m ³ (Rat) 30 min

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Zinc oxide 1314-13-2	-	-	Reasonably Anticipated	X
Formaldehyde 50-00-0	A2	Group 1	Known	X
Naphthalene 91-20-3	A3	Group 2B	Reasonably Anticipated	X
Cadmium and compounds (as Cd) 7440-43-9	A2	Group 1	Known	Х
Lead	A3	Group 2A	Reasonably Anticipated	X

7439-92-1

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 1,690.00 ATEmix (dermal) 57,329.65

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT.

Ecotoxicity

11.44349 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Zinc dibutyldithiocarbamate 136-23-2	-	520: 96 h Oncorhynchus mykiss mg/L LC50 880: 96 h Lepomis	0.74: 48 h Daphnia magna mg/L EC50
		macrochirus mg/L LC50	
2-Mercaptobenzothiazole	0.25: 96 h Pseudokirchneriella	1.32 - 2.73: 96 h Lepomis	4.1: 48 h Daphnia magna mg/L
149-30-4	subcapitata mg/L EC50	macrochirus mg/L LC50 static 0.42:	EC50
		96 h Oncorhynchus mykiss mg/L	
		LC50 static 11: 96 h Pimephales	
A marina a missiona da sodo a si al a	_	promelas mg/L LC50 static	0.00: 40 h Danhais autoums/l
Ammonium hydroxide 1336-21-6	-	8.2: 96 h Pimephales promelas mg/L LC50	0.66: 48 h Daphnia pulex mg/L EC50 0.66: 48 h water flea mg/L EC50
Formaldehyde	-	0.032 - 0.226: 96 h Oncorhynchus	11.3 - 18: 48 h Daphnia magna
50-00-0		mykiss mL/L LC50 flow-through 100	mg/L EC50 Static 2: 48 h Daphnia
		- 136: 96 h Oncorhynchus mykiss	magna mg/L LC50
		mg/L LC50 static 22.6 - 25.7: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 23.2 - 29.7: 96 h	
		Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis	
		macrochirus µg/L LC50 static 41: 96	
		h Brachydanio rerio mg/L LC50	
		static	
Quinoline	84: 72 h Desmodesmus subspicatus		45.9 - 57.3: 48 h Daphnia magna
91-22-5	mg/L EC50 static 90: 96 h	LC50 static 46: 96 h Pimephales	mg/L EC50 Static 28.5: 48 h
	Desmodesmus subspicatus mg/L	promelas mg/L LC50 static 77.8: 96	Daphnia magna mg/L EC50
	EC50 static 51: 4 h	h Pimephales promelas mg/L LC50	
	Pseudokirchneriella subcapitata	flow-through	
	mg/L EC50		
Naphthalene	0.4: 72 h Skeletonema costatum	0.91 - 2.82: 96 h Oncorhynchus	1.09 - 3.4: 48 h Daphnia magna
91-20-3	mg/L EC50	mykiss mg/L LC50 static 5.74 - 6.44: 96 h Pimephales promelas mg/L	mg/L EC50 Static 1.96: 48 h
		LC50 flow-through 1.6: 96 h	Daphnia magna mg/L EC50 Flow through 2.16: 48 h Daphnia magna
		Oncorhynchus mykiss mg/L LC50	mg/L LC50
		flow-through 1.99: 96 h Pimephales	mg/2 2000
		promelas mg/L LC50 static 31.0265:	
		96 h Lepomis macrochirus mg/L	
		LC50 static	
Cadmium and compounds (as Cd)	-	0.0004 - 0.003: 96 h Pimephales	0.0244: 48 h Daphnia magna mg/L
7440-43-9		promelas mg/L LC50 0.002: 96 h	EC50 Static
		Cyprinus carpio mg/L LC50 0.003:	
		96 h Oncorhynchus mykiss mg/L	
		LC50 flow-through 0.006: 96 h	
		Oncorhynchus mykiss mg/L LC50 static 0.016: 96 h Oryzias latipes	
		mg/L LC50 0.24: 96 h Cyprinus	
		carpio mg/L LC50 static 21.1: 96 h	
		54. p.o 111g/ L 2000 314110 21.1. 90 11	

		Lepomis macrochirus mg/L LC50 flow-through 4.26: 96 h Cyprinus carpio mg/L LC50 semi-static	
Lead 7439-92-1	-	0.44: 96 h Cyprinus carpio mg/L LC50 semi-static 1.17: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 1.32: 96 h Oncorhynchus mykiss mg/L LC50 static	600: 48 h water flea μg/L EC50

Persistence and degradability No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
2-Mercaptobenzothiazole 149-30-4	2.3 - 2.5
Formaldehyde 50-00-0	0.35
Quinoline 91-22-5	1.88 - 2.06
Naphthalene 91-20-3	3.3

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Dispose of in accordance with federal, state and local regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122
Naphthalene 91-20-3	U165	Included in waste streams: F024, F025, F034, F039, K001, K035, K060, K087, K145	-	U165
Cadmium and compounds (as Cd) 7440-43-9	-	Included in waste streams: F006, F039, K061, K069, K100	1.0 mg/L regulatory level	-
Lead 7439-92-1	-	Included in waste streams: F035, F037, F038, F039, K002, K003, K005, K046, K048, K049, K051, K052, K061, K062, K069, K086, K100, K176	5.0 mg/L regulatory level	-

Chemical Name	RCRA - Halogenated	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
	Organic Compounds			
Naphthalene	-	-	Toxic waste	-
91-20-3			waste number F025	
			Waste description:	
			Condensed light ends, spent	
			filters and filter aids, and	
			spent desiccant wastes from	
			the production of certain	
			chlorinated aliphatic	
			hydrocarbons, by free radical	ļ

catalyzed processes.
These chlorinated aliphatic
hydrocarbons are those
having carbon chain lengths
ranging from one to and
including five, with varying
amounts and positions of
chlorine substitution.

Chemical Name	California Hazardous Waste Status
Zinc oxide	Toxic
1314-13-2	
Zinc dibutyldithiocarbamate	Toxic
136-23-2	
Zinc 2-Mercaptobenzothiazole	Toxic
155-04-4	
Ammonium hydroxide	Toxic
1336-21-6	Corrosive
Formaldehyde	Toxic
50-00-0	Ignitable
Naphthalene	Toxic
91-20-3	
Lead	Toxic
7439-92-1	

14. TRANSPORT INFORMATION

DOT

UN3082

Proper shipping name Environmentally hazardous substances, liquid, n.o.s. (2-Mercaptobenzothiazole)

Hazard Class 9
Packing Group III

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to DOT.

IATA

UN/ID no. UN3082

Proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Zinc Oxide,

2-Mercaptobenzothiazole)

Hazard Class 9
Packing Group III

<u>IMDG</u>

UN/ID no. UN3082

Proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Zinc Oxide,

2-Mercaptobenzothiazole)

Hazard Class 9
Packing Group |||

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to

IMDG/IMO

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Zinc oxide - 1314-13-2	1.0
Zinc dibutyldithiocarbamate - 136-23-2	1.0
Zinc 2-Mercaptobenzothiazole - 155-04-4	1.0
2-Mercaptobenzothiazole - 149-30-4	1.0
Ammonium hydroxide - 1336-21-6	1.0
Formaldehyde - 50-00-0	0.1
Quinoline - 91-22-5	1.0
Naphthalene - 91-20-3	0.1
Cadmium and compounds (as Cd) - 7440-43-9	0.1
Lead - 7439-92-1	0.1

SARA 311/312 Hazard Categories

Acute health hazard Yes **Chronic Health Hazard** No Fire hazard No Sudden release of pressure hazard No **Reactive Hazard** No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc oxide 1314-13-2	-	X	-	-
Zinc dibutyldithiocarbamate 136-23-2	-	Х	-	-
Zinc 2-Mercaptobenzothiazole 155-04-4	-	Х	-	-
Ammonium hydroxide 1336-21-6	1000 lb	-	-	Х
Formaldehyde 50-00-0	100 lb	-	-	Х
Quinoline 91-22-5	5000 lb	-	-	Х
Naphthalene 91-20-3	100 lb	Х	Х	Х
Cadmium and compounds (as Cd) 7440-43-9	-	Х	Х	-
Lead 7439-92-1	-	Х	Х	-

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ
Quinoline	5000 lb	=	RQ 5000 lb final RQ
91-22-5			RQ 2270 kg final RQ
Naphthalene	100 lb 1 lb	=	RQ 100 lb final RQ
91-20-3			RQ 45.4 kg final RQ RQ 1 lb final
			RQ
			RQ 0.454 kg final RQ
Cadmium and compounds (as Cd)	10 lb	=	RQ 10 lb final RQ
7440-43-9			RQ 4.54 kg final RQ
Lead	10 lb	-	RQ 10 lb final RQ
7439-92-1			RQ 4.54 kg final RQ

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

Chemical Name	California Proposition 65	
Formaldehyde - 50-00-0	Carcinogen	
Quinoline - 91-22-5	Carcinogen	
Naphthalene - 91-20-3	Carcinogen	
Cadmium and compounds (as Cd) - 7440-43-9	Carcinogen	
	Developmental	
	Male Reproductive	
Lead - 7439-92-1	Carcinogen	
	Developmental	
	Female Reproductive	
	Male Reproductive	

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Zinc oxide 1314-13-2	Х	X	Х
Zinc dibutyldithiocarbamate 136-23-2	Χ	-	X
Zinc 2-Mercaptobenzothiazole 155-04-4	Χ	-	X
2-Mercaptobenzothiazole 149-30-4	Χ	-	-
Ammonium hydroxide 1336-21-6	Χ	X	X
Formaldehyde 50-00-0	Х	X	X
Quinoline 91-22-5	Х	X	Х
Naphthalene 91-20-3	Х	X	X
Cadmium and compounds (as Cd) 7440-43-9	Х	Х	Х
Lead 7439-92-1	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 1 Flammability 0 Instability 0 **Physical and Chemical**

Properties -

Health hazards 1 Personal protection B HMIS Flammability 0 Physical hazards 0

Prepared By Diane M. Hunsicker **Issue Date** 26-Feb-2015 **Revision Date** 24-Aug-2016

Revision Note

SDS sections updated: 1, 14

Disclaimer

The information provided in this SDS was compiled from sources which we believe are accurate and reliable. However, this information is provided without warranty, expressed or implied, regarding its correctness. It is the user's responsibility to determine the suitability of any material for a specific purpose and adopt such safety precautions as may be necessary. We do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of, or in any way connected with the handling, storage, use, or disposal of this product.

End of Safety Data Sheet